

Notice of Allowability

Application No.

10/562,982

Examiner

JASON K. NIESZ

Applicant(s)

BOURGEOIS ET AL.

Art Unit

3751

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendment sent on 03/10/2009.
2. ☒ The allowed claim(s) is/are 5-8,10,11 and 13.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 20090424.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Patricia McQueeny on 04/24/2009.

The application has been amended as follows:

In Claim 1,

Line 2: after "pump" remove - - that can be connected - - and insert - - connectable - -; and

Line 4: after "sensor" remove - - that can be connected - - and insert - - connectable - -.

2. The following is an examiner's statement of reasons for allowance: The specific limitation "said programmable logic adapted to: i) compare the measured pressure to the three pressure ranges, each one of which has a minimum and a maximum pressure, ii) establish operation of the pump within one of said pressure ranges, and iii) trigger a safety shutdown of the pump if the maximum pressure of the established range is reached within the storage tank" in the combination as claimed in claim 1 is not anticipated or made obvious by the prior art of record in the examiner's opinion.

For example Meyer (US Patent 6,216,719) discloses a system for transfer of pressurized fluids comprising a fluid supply pump, a filling hose, a storage tank, a pump control unit and a pressure sensor connected to a pressure tapping.

Poulsen (US Patent 4,657,055) discloses a cylinder filling system in which the filling operation is suspended unless the pressure in the receiving tank lies within a predetermined set of limits.

However, the prior art of record does not teach or anticipate the specific limitation of "said programmable logic adapted to: i) compare the measured pressure to the three pressure ranges, each one of which has a minimum and a maximum pressure, ii) establish operation of the pump within one of said pressure ranges, and iii) trigger a safety shutdown of the pump if the maximum pressure of the established range is reached within the storage tank" in the combination as claimed in claim 1.

Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JASON K. NIESZ whose telephone number is (571)270-3920. The examiner can normally be reached on mon-fri 9-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Greg Huson can be reached on (571) 272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Jason K Niesz
Examiner
Art Unit 3751

/Timothy L Maust/
for Gregory Huson, SPE of Art Unit 3751